

# 11

Hi, Janice

I have no phone / Log  
records for Oct. 29<sup>th</sup>, 30<sup>th</sup> or  
31<sup>st</sup>.

Mary

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11-3-12 Time: 12:30

COMPLAINANT:	
ADDRESS OF PROBLEM:	<u>115 N Dersel</u>
MAILING ADDRESS:	<u>Ronna Cabral M. Costa</u>
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:

W/O

TAKEN BY:	<u>[Signature]</u>	REFERRED TO:	<u>Danny JR</u>	DATE:	<u>11-3-12</u>
REFERRAL ACTION:	<u>Called John C. &amp; Danny</u>				

RESOLUTION:

DANNY JR to TCO

SIGNED: [Signature]

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11-3-12 Time: 1:21 PM

COMPLAINANT:	<u>UCPD</u>
ADDRESS OF PROBLEM:	<u>Victoria @ Ventnor</u>
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:

Need portable stop signs

TAKEN BY: [Signature] REFERRED TO: Dave Smith ON: 11-3-12

REFERRAL ACTION:

called Dave Smith said to call Joe Fisher

RESOLUTION:

called Joe Fisher + dispatched  
✓ to TC

SIGNED: [Signature]

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11-3-12 Time: 1:30 PM

COMPLAINANT:	<u>Vicme</u>
ADDRESS OF PROBLEM:	<u>100 N Portland</u>
MAILING ADDRESS:	
CONTACT TELEPHONE:	<u>442-2805</u>

DESCRIPTION OF COMPLAINT:  
V/O

TAKEN BY: [Signature] REFERRED TO: Danny JR ON: 11-3-12

REFERRAL ACTION:  
Called Danny JR

RESOLUTION:  
Danny JR.

SIGNED: [Signature]

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_




STREETS: \_\_\_\_\_



~~322~~

52 ~~55~~ DATE COMPLAINT TAKEN: 11-3-12 Time: 2:07

COMPLAINANT:	UC PD
ADDRESS OF PROBLEM:	City Hall
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:  
Broken Pipe

TAKEN BY: 	REFERRED TO:  ON: 11-3-12
REFERRAL ACTION:	Called @ Mr 

RESOLUTION:  
 

SIGNED:

At no time are the names, addresses or phone number of complainant to be given out off of form

~~Atchelle~~

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER:

*Emergency  
Markout*

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN:

*11/4/12*

*Time: 5:30 a*

COMPLAINANT:	<i>New Jersey ave</i>
ADDRESS OF PROBLEM:	<i>103 S. Lafayette</i>
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:

*Ticket # 123090066  
EMO*

TAKEN BY:

*WC*

REFERRED TO:

*WC*

ON:

REFERRAL ACTION:

RESOLUTION:

*TCO*

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/5/12

Time: 10:02

COMPLAINANT:	Lisa Newell
ADDRESS OF PROBLEM:	510 N. Cambridge
MAILING ADDRESS:	
CONTACT TELEPHONE:	823-0695 304-2599

DESCRIPTION OF COMPLAINT:

170

TAKEN BY: MG REFERRED TO: JC ON: 11/5/12

REFERRAL ACTION:

RESOLUTION:

7903 P/O

272-

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

11/5/12

Time 7:15

COMPLAINANT:	Proietto
ADDRESS OF PROBLEM:	612 N. Surrey
MAILING ADDRESS:	
CONTACT TELEPHONE:	8' <del>6480</del> 287-0417

DESCRIPTION OF COMPLAINT:

T/O

TAKEN BY: *MY*      REFERRED TO: *Jc*      ON: 11/5/12

REFERRAL ACTION:

RESOLUTION:

T/O

SIGNED:



CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/6/12 Time 10:20a

COMPLAINANT:	<u>Went</u>
ADDRESS OF PROBLEM:	<u>609 N Dorset</u>
MAILING ADDRESS:	<u>385-5129</u>
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:  
Lawn saturated -

TAKEN BY: \_\_\_\_\_ REFERRED TO: \_\_\_\_\_ ON: \_\_\_\_\_

REFERRAL ACTION:

RESOLUTION:

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: 11/6/12

DATE COMPLAINT TAKEN: 11/6/12

Time: 9a

COMPLAINANT:	<u>Keilly Construction</u>
ADDRESS OF PROBLEM:	<u>Wellington and Lafayette: Swarthmore</u>
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:

EMO

TAKEN BY: \_\_\_\_\_ REFERRED TO: Snake ON: 11/6/12

REFERRAL ACTION:

RESOLUTION:

TCO

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/6/12 Time: \_\_\_\_\_

COMPLAINANT:	<u>Mr. Korotki</u>
ADDRESS OF PROBLEM:	<u>Avolyn and Beach</u>
MAILING ADDRESS:	
CONTACT TELEPHONE:	<u>822-1614</u>

DESCRIPTION OF COMPLAINT:

Mud in gutter

TAKEN BY:	REFERRED TO:	ON:
-----------	--------------	-----

REFERRAL ACTION:

RESOLUTION:

SIGNED:

At no time are the names ,addresses or phone number of complaint to be given out off of form

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/6/12

Time: 11a

COMPLAINANT:	?
ADDRESS OF PROBLEM:	45 Maria
MAILING ADDRESS:	
CONTACT TELEPHONE:	?
DESCRIPTION OF COMPLAINT:	T/O
TAKEN BY:	REFERRED TO: Snake ON: 11/6/12
REFERRAL ACTION:	
RESOLUTION:	Trap down internal

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_


11-6-12

Time 6PM

COMPLAINANT:	MARY
ADDRESS OF PROBLEM:	510 N Cornwall
MAILING ADDRESS:	
CONTACT TELEPHONE:	822-2509

DESCRIPTION OF COMPLAINT:


T/O

TAKEN BY:  REFERRED TO: JHMC ON: 11-6-12

REFERRAL ACTION: Called John

RESOLUTION: Internal / Helped plumbge  
OKA

SIGNED: \_\_\_\_\_



CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER:

STREETS:

DATE COMPLAINT TAKEN:

11-6-12

Time: 6:07<sup>PM</sup>

COMPLAINANT:

W ONE

ADDRESS OF PROBLEM:

~~328 W 12th~~ 328 W 12th

MAILING ADDRESS:

CONTACT TELEPHONE:

DESCRIPTION OF COMPLAINT:

55 Gas Emergency must  
ticket # 123112117

TAKEN BY:

*[Signature]*

REFERRED TO:

JOHN C ON: 11-6-12

REFERRAL ACTION:

Called John C

RESOLUTION:

VCO per John C

SIGNED:

*[Signature]*

At no time are the names, addresses or phone number of complaint to be given out off of form

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 1-6-12 Time: 8:11 AM

COMPLAINANT:	State Police
ADDRESS OF PROBLEM:	Dorset & Marshall (west side)
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:

Requested temporary stop sign west side

TAKEN BY: ~~[Signature]~~ REFERRED TO: Melby ON: 1/8/12

REFERRAL ACTION:

called Melby

RESOLUTION:

Kevin to TCO in AM Per Melby

SIGNED:

[Signature]

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11-6-12

Time: 6:17 PM

COMPLAINANT:	5500 Monmouth
ADDRESS OF PROBLEM:	5742e Police
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:  
Sink hole

TAKEN BY: *[Signature]* REFERRED TO: *Melby* ON: 11-6-12

REFERRAL ACTION:  
Called Melby

RESOLUTION:  
John C Barreled *[Signature]*

SIGNED: *[Signature]*



CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN:

11/7/12

Time: 1:29

COMPLAINANT:	John (Dorset Hts Marina)
ADDRESS OF PROBLEM:	118 N. Dorset
MAILING ADDRESS:	
CONTACT TELEPHONE:	823-0520

DESCRIPTION OF COMPLAINT:

J/W

TAKEN BY:	M/G	REFERRED TO:	Jc	ON:	11/7/12
-----------	-----	--------------	----	-----	---------

REFERRAL ACTION:

RESOLUTION:

High Tides

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

11/7/12

Time: 2:10 PM

COMPLAINANT:	
ADDRESS OF PROBLEM:	Newport + Monmouth
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:

Storm drains clogged

TAKEN BY: MG REFERRED TO: MW ON: 11/7/12

REFERRAL ACTION:

RESOLUTION:

checked drains -  
"High Tide"

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/7/12 Time: \_\_\_\_\_

COMPLAINANT:	McQueen
ADDRESS OF PROBLEM:	429 N. Oxford
MAILING ADDRESS:	
CONTACT TELEPHONE:	254-1082

DESCRIPTION OF COMPLAINT:

no

TAKEN BY: \_\_\_\_\_ REFERRED TO: \_\_\_\_\_ ON: \_\_\_\_\_

REFERRAL ACTION:

RESOLUTION:

P/O - 9:00 am

up again 2:45 PM - R/O - Run Snake Am

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/9/12

Time 7:54

COMPLAINANT:	PD
ADDRESS OF PROBLEM:	NEWPORT & ATLANTIC
MAILING ADDRESS:	
CONTACT TELEPHONE:	2101

DESCRIPTION OF COMPLAINT:

PORTABLE SDP @ NEWPORT & ATL

TAKEN BY: JB REFERRED TO: KEVIN ON:

REFERRAL ACTION:

RESOLUTION:

TCD-KE

SIGNED:

At no time are the names ,addresses or phone number of complaint to be given out off of form

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/8/12 Time 12:00

COMPLAINANT:	MIKE	
ADDRESS OF PROBLEM:	107 S. TROY	
MAILING ADDRESS:		
CONTACT TELEPHONE:	319-0300	
DESCRIPTION OF COMPLAINT:	770	
TAKEN BY:	X/P	REFERRED TO: MIKE ON: 11/8/12
REFERRAL ACTION:		
RESOLUTION:		

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/8/12

Time 8:00 pm

COMPLAINANT:	Mark Rosenberg
ADDRESS OF PROBLEM:	
MAILING ADDRESS:	803 N. Little Rock
CONTACT TELEPHONE:	432-4805

DESCRIPTION OF COMPLAINT:



pipes bang  
when toilet flushes

TAKEN BY: *YMD*

REFERRED TO: *JC*

ON: 11/8/12

REFERRAL ACTION:

RESOLUTION:

*Internal*

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

11/9/12

Time: 10:50

COMPLAINANT:	Joseph Tosh	
ADDRESS OF PROBLEM:	220 N. Washington	
MAILING ADDRESS:		
CONTACT TELEPHONE:	442-4714	822-4382

DESCRIPTION OF COMPLAINT:

No

TAKEN BY: MG      REFERRED TO: JC      ON: 11/9/12

REFERRAL ACTION:

RESOLUTION:

P/O

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER

STREETS: Rosborough & Winchester

DATE COMPLAINT TAKEN: 11/9/12

Time: 5:15 P.

COMPLAINANT:	<u>Jennifer</u>
ADDRESS OF PROBLEM:	<u>6915 Winchester</u>
MAILING ADDRESS:	
CONTACT TELEPHONE:	<u>221-7552</u> <u>tenants -&gt; 470-150</u>

DESCRIPTION OF COMPLAINT:  
Backup in sink - 2nd floor of 3 floor unit

TAKEN BY: Wayne      REFERRED TO: self      ON: 11/9/12

REFERRAL ACTION:

RESOLUTION: TRAP DOWN - internal

SIGNED:



CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER:

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/10/12 Time 0:20

COMPLAINANT:	SOFIA	
ADDRESS OF PROBLEM:	16 N WEYMOUTH	
MAILING ADDRESS:		
CONTACT TELEPHONE:	823-3262	
DESCRIPTION OF COMPLAINT:	T/O	
TAKEN BY:	A/B	REFERRED TO: AC ON:
REFERRAL ACTION:		
RESOLUTION:	P/O	

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/10/12

Time 11:30

COMPLAINANT:	PD
ADDRESS OF PROBLEM:	DERBY & BAIFOUR
MAILING ADDRESS:	
CONTACT TELEPHONE:	7101

DESCRIPTION OF COMPLAINT:

NEED STOP SIGN

TAKEN BY: MB

REFERRED TO: KEVIN

ON:

REFERRAL ACTION:

RESOLUTION:

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: 519 N Somerset

DATE COMPLAINT TAKEN: 1/10/12 Time: \_\_\_\_\_

COMPLAINANT:	<u>Joe Derago</u>
ADDRESS OF PROBLEM:	<u>519 N Somerset</u>
MAILING ADDRESS:	
CONTACT TELEPHONE:	<u>677-9934</u>

DESCRIPTION OF COMPLAINT:

~~WATER LEAK~~  
Under house

TAKEN BY: \_\_\_\_\_ REFERRED TO: \_\_\_\_\_ ON: \_\_\_\_\_

REFERRAL ACTION:

RESOLUTION:

FIRE DEPT.

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

*Timely*

COMPLAINANT:	??	
ADDRESS OF PROBLEM:	6315 <u>Monmouth</u>	
MAILING ADDRESS:		
CONTACT TELEPHONE:	224-5269	
DESCRIPTION OF COMPLAINT:	WATER LEAKING	
TAKEN BY:	<i>WC</i>	REFERRED TO: <i>WC</i> ON: <i>1/10/12</i>
REFERRAL ACTION:		
RESOLUTION:	T.C.O - Plumber	

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

Time: \_\_\_\_\_

COMPLAINANT:	Neighbor <del>at</del>
ADDRESS OF PROBLEM:	611 N Dorset Ave
MAILING ADDRESS:	"out of town"
CONTACT TELEPHONE:	
DESCRIPTION OF COMPLAINT:	WATER LEAK
TAKEN BY: <del>LC</del>	REFERRED TO: WC ON 1/10/12
REFERRAL ACTION:	FIRE DEPT
RESOLUTION:	valve offset - contacted by firedept. to get plumber

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/~~SEWER~~

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/11/12 Time: 3:45 P

COMPLAINANT:	<u>Silvia</u>
ADDRESS OF PROBLEM:	<u>24 N Vassar SQ</u>
MAILING ADDRESS:	
CONTACT TELEPHONE:	<u>271-9102</u>

DESCRIPTION OF COMPLAINT:  
Smell at curb

TAKEN BY: WC REFERRED TO: WC ON: 11/11/12

REFERRAL ACTION:

RESOLUTION:  
P/O

SIGNED:

At no time are the names ,addresses or phone number of complaint to be given out off of form

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER SEWER

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

*Time 3pm.*

COMPLAINANT:	<i>Back up in House Ann Coccia</i>	
ADDRESS OF PROBLEM:	<i>512 N. Dudley Ave</i>	
MAILING ADDRESS:		
CONTACT TELEPHONE:	<i>350-7127</i>	
DESCRIPTION OF COMPLAINT:	<i>Sewer problem</i>	
TAKEN BY:	<i>J.B.</i>	REFERRED TO: <i>W.C.</i> ON: <i>3:05pm</i>
REFERRAL ACTION:		
RESOLUTION:	<i>Needs a Plumber</i>	
SIGNED:	<i>James B. Buside</i>	

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: Sewer

STREETS: 11-12-13

DATE COMPLAINT TAKEN:

Time: 5:20

COMPLAINANT:	<u>Liz Schneder</u>	
ADDRESS OF PROBLEM:	<u>107 S. Troy</u>	
MAILING ADDRESS:		
CONTACT TELEPHONE:	<u>610-761-3607</u>	
DESCRIPTION OF COMPLAINT:	<u>T/O</u>	
TAKEN BY:	REFERRED TO:	ON:
<u>J.B.</u>	<u>J.B.</u>	
REFERRAL ACTION:		
RESOLUTION:	<u>Trap down</u> <u>Nobody Home</u>	

SIGNED: [Signature]



CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: Sewer

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

Time: \_\_\_\_\_

COMPLAINANT:	Thompson
ADDRESS OF PROBLEM:	605 P. N. Victoria
MAILING ADDRESS:	
CONTACT TELEPHONE:	665-0341

DESCRIPTION OF COMPLAINT:

Sewer Smell in sink

Nobody home check in A.M.

TAKEN BY: J.B.                      REFERRED TO:                      ON:

REFERRAL ACTION:

RESOLUTION:

SIGNED:

*James Brownside*

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: Water

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11-12-13 Time:

COMPLAINANT:	<u>Need water shut off</u>	<u>Shaun Clansley</u>
ADDRESS OF PROBLEM:	<u>110 N. Suffolk</u>	
MAILING ADDRESS:		
CONTACT TELEPHONE:	<u>517-9458</u>	

DESCRIPTION OF COMPLAINT:

TAKEN BY: J.B. REFERRED TO: VCFD ON:

REFERRAL ACTION:

RESOLUTION:

SIGNED: [Signature]

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

11/13/12 Time: 8:30

COMPLAINANT:	<del>owner</del> Weirrob James Ward. caller
ADDRESS OF PROBLEM:	27 N. Hillside
MAILING ADDRESS:	
CONTACT TELEPHONE:	484-614-9605
DESCRIPTION OF COMPLAINT:	water leak <del>at</del> can't find valve
TAKEN BY: VVB	REFERRED TO: Jc ON: 11/13/12
REFERRAL ACTION:	
RESOLUTION:	located valve - owner needs to expose - curb stop broken

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

11/13/12 Time 9:30

COMPLAINANT:		
ADDRESS OF PROBLEM:	Burke + Dorset	
MAILING ADDRESS:		
CONTACT TELEPHONE:		
DESCRIPTION OF COMPLAINT:	Main stoppage	
TAKEN BY:	REFERRED TO:	ON:
REFERRAL ACTION:		
RESOLUTION:	TCO	

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/13/12 Time: 10:55am

COMPLAINANT:	Weiss
ADDRESS OF PROBLEM:	21 N. Melbourne
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:

Drains clogged

TAKEN BY: MG      REFERRED TO: JS      ON: 11/13/12

REFERRAL ACTION:

RESOLUTION:

To

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/13/12 Time: 11:30 am

COMPLAINANT:	
ADDRESS OF PROBLEM:	<u>Newark + Winchester</u>
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT:  
  
Storm drains clogged

TAKEN BY: 11/13/12 REFERRED TO: JS ON: 11/13/12

REFERRAL ACTION:

RESOLUTION:  
  
T Co

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/13/12 Time: 3:00

COMPLAINANT:	Holly Debler	
ADDRESS OF PROBLEM:	15 N. Weymouth	
MAILING ADDRESS:		
CONTACT TELEPHONE:	5 350-7178	
DESCRIPTION OF COMPLAINT:	No	
TAKEN BY:	MS	REFERRED TO: JC ON: 11/13/12
REFERRAL ACTION:		
RESOLUTION:	P/O	


SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER.

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11-13-12 Time: 5PM

COMPLAINANT:	Timi
ADDRESS OF PROBLEM:	213 N Spotswood St
MAILING ADDRESS:	
CONTACT TELEPHONE:	350-6049
DESCRIPTION OF COMPLAINT:	70
TAKEN BY: 	REFERRED TO: Wayne ON: 11-13-12
REFERRAL ACTION:	called Wayne
RESOLUTION:	Wayne to TCO PIO per Wayne

SIGNED: 



CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: \_\_\_\_\_

11-13-12 Time: 7:38<sup>AM</sup>


COMPLAINANT:	Wayne Coleman
ADDRESS OF PROBLEM:	Victoria Ave.
MAILING ADDRESS:	
CONTACT TELEPHONE:	

DESCRIPTION OF COMPLAINT: Wayne called possible main stop

TAKEN BY:  REFERRED TO: WAYNE ON: 11-13-12

REFERRAL ACTION: Wayne to check it out

RESOLUTION: internal notified owner

SIGNED: 

**CITY OF VENTNOR CITY**  
**COMPLAINT FORM/ WORK ORDER**  
**(FOR INTERNAL USE ONLY)**

**PUBLIC WORKS/WATER/SEWER:** \_\_\_\_\_

**STREETS:** \_\_\_\_\_

**DATE COMPLAINT TAKEN:** 11/14/12 Time: 9:16

<b>COMPLAINANT:</b>	<u>Marsha Gillespie</u>
<b>ADDRESS OF PROBLEM:</b>	<u>418 N. Oxford</u>
<b>MAILING ADDRESS:</b>	
<b>CONTACT TELEPHONE:</b>	<u>335-6390</u>

**DESCRIPTION OF COMPLAINT:**

Pipes are gurgling  
in bathroom, smells

**TAKEN BY:** M6      **REFERRED TO:** Jc      **ON:** 11/14/12

**REFERRAL ACTION:**

**RESOLUTION:**

Trap down

**SIGNED:**

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN:

11/14/12

Time: 10:45

COMPLAINANT:	Kyle
ADDRESS OF PROBLEM:	Dream Bay Condo's
MAILING ADDRESS:	703 N. Oxford
CONTACT TELEPHONE:	576-8517

DESCRIPTION OF COMPLAINT:

Building - L

T/O

TAKEN BY:

MG

REFERRED TO:

JC

ON:

11/14/12

REFERRAL ACTION:

RESOLUTION:

P/O

SIGNED:

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN:

11/14/12

Time: 9:15am

COMPLAINANT:	
ADDRESS OF PROBLEM:	105 N. Sacramento
MAILING ADDRESS:	
CONTACT TELEPHONE:	
DESCRIPTION OF COMPLAINT:	water leak under house Plumber can't find shut off valve - needs assistance
TAKEN BY:	MG
REFERRED TO:	JC
ON:	11/14/12
REFERRAL ACTION:	
RESOLUTION:	TCO

SIGNED:

At no time are the names ,addresses or phone number of complaint to be given out off of form

CITY OF VENTNOR CITY  
COMPLAINT FORM/ WORK ORDER  
(FOR INTERNAL USE ONLY)

PUBLIC WORKS/WATER/SEWER: \_\_\_\_\_

STREETS: \_\_\_\_\_

DATE COMPLAINT TAKEN: 11/14/12

Time: 1:25

COMPLAINANT:	Weiner	
ADDRESS OF PROBLEM:	9 S. Baton Rouge	
MAILING ADDRESS:		
CONTACT TELEPHONE:	822-1816	
DESCRIPTION OF COMPLAINT:	T/O	
TAKEN BY:	MG	REFERRED TO: JC
		ON: 11/14/12
REFERRAL ACTION:		
RESOLUTION:	P/O	

SIGNED:

At no time are the names ,addresses or phone number of complaint to be given out off of form